

Figure 1




Figure 2a




Figure 2b




Figure 3a




Figure 3b




Figure 3c




Figure 4




Figure 5




Figure 6

TID	Alias	Location	SessionID	Tokens
-----	-------	----------	-----------	--------

Figure 7a

TID	Reason	ReasonText	Tokens	WaitPeriod
-----	--------	------------	--------	------------

Figure 7b

TID	Reason	ReasonText	Tokens	PrefixURL	PrefixURL Options
-----	--------	------------	--------	-----------	-------------------

Figure 7c

TID	Reason	ReasonText	Tokens
-----	--------	------------	--------

Figure 7d

TID	Reason	ReasonText	Refresh	Tokens
-----	--------	------------	---------	--------

Figure 7e

7a	Key	Families	Originate	Terminate	Codecs	DeviceInfo	LocalTime	BLHash	MsgCookie	Policy Cookie	Selected Policy
----	-----	----------	-----------	-----------	--------	------------	-----------	--------	-----------	---------------	-----------------

Figure 8a

7e	SessionID	SesKey	GMTTime	SourceDisplay Name	BLStatus	RedirectServers [1-n]	KeepAlive Servers [1-n]
----	-----------	--------	---------	--------------------	----------	-----------------------	-------------------------

Figure 8b

7a	SelfIP	Calls	BLCookie	MsgCookie	Policy Cookie	Selected Policy
----	--------	-------	----------	-----------	---------------	-----------------

Figure 8c

TID	Reason	ReasonText	Refresh	Tokens
-----	--------	------------	---------	--------

Figure8d

TID	Alias	Location	SessionID	Tokens
-----	-------	----------	-----------	--------

Figure 8e

TID	Reason	ReasonText	Refresh	Tokens
-----	--------	------------	---------	--------

Figure 8f

TID	Alias	Location	SessionID	Tokens	DestAlias	Originate
-----	-------	----------	-----------	--------	-----------	-----------

Figure 8g

7e	CallID	Source Alias	Source Display Name	DestAlias	DestDisplay Name	Destinations	IssueCall Started	Startwithin
	MaxCall Period	QoSReport Period	MaxQoS Reports					

Figure 9a

7a	SourceAlias	SourceDisplay Name	Source Tokens	CallID	CallURL
----	-------------	--------------------	---------------	--------	---------

Figure 9b

7e	Source Alias	Source Display Name	Issue Call Started	AutoAnswer	Startwithin	Max Length	QoSReport Period	MaxQoS Reports
----	--------------	---------------------	--------------------	------------	-------------	------------	------------------	----------------

Figure 9c

TID	Alias	Location	SessionID	Tokens	CallID	CallMode
-----	-------	----------	-----------	--------	--------	----------

Figure 9d

TID	Reason	ReasonText	Refresh	Tokens
-----	--------	------------	---------	--------

Figure 9e

7a	CallID	Reason	Reason Text
----	--------	--------	-------------

Figure 9f

TID	Reason	ReasonText	Refresh	Tokens
-----	--------	------------	---------	--------

Figure 10a

7a	CallID	Reason	I am the caller	Other Participant	Source Protocol	Dest Protocol	Call Duration	Local Time Started	GMT Time Started
	Report Period	Incoming Start Index	Outgoing Start Index	Worst Index	Best Index	CallMode			

Figure 10b

TID	Reason	ReasonText	Refresh	Tokens
-----	--------	------------	---------	--------

Figure 10c

7a	Primary Alias	Display Name	Status
----	---------------	--------------	--------

Figure 11a

TID	Reason	ReasonText	Refresh	Tokens
-----	--------	------------	---------	--------

Figure 11b

7a	Primary Alias	Display Name
----	---------------	--------------

Figure 11c

TID	Reason	ReasonText	Refresh	Tokens
-----	--------	------------	---------	--------

Figure 11d

7a	Primary Alias
----	---------------

Figure 11e

TID	Reason	ReasonText	Refresh	Tokens
-----	--------	------------	---------	--------

Figure 11f

7a	BLEntries
----	-----------

Figure 11g

PrimaryAlias	Display Name	Status
--------------	--------------	--------

Figure 11h

TID	Reason	ReasonText	Refresh	Tokens
-----	--------	------------	---------	--------

Figure 12a

7a	Primary Alias	Status
----	---------------	--------

Figure 12b

TID	Reason	ReasonText	Refresh	Tokens
-----	--------	------------	---------	--------

Figure 12c

7a	Status 1-n
----	------------

Figure 12d

TID	Reason	ReasonText	Refresh	Tokens
-----	--------	------------	---------	--------

Figure 12e

7a	Messages	MsgCookie
----	----------	-----------

Figure 12f

7a	MsgIDs 1-n
----	------------

Figure 12g

7e	MsgIDs 1-n
----	------------

Figure 13a

7a	ThreadID	Reply To ID	Validity	DestAlias	Msg	Msg Language
----	----------	-------------	----------	-----------	-----	--------------

Figure 13b

7e	ThreadID	MsgID
----	----------	-------

Figure 13c

7a	MsgGetID	ThreadID	MsgID	Reply To ID	When Sent	Sender Alias
	Sender Display Name	Msg Type	Msg Language	Msg	MsgCookie	

Figure 13d

TID	Reason	ReasonText	Refresh	Tokens
-----	--------	------------	---------	--------

Figure 13e

7a	MsgID	MsgStatus	MsgCookie
----	-------	-----------	-----------

Figure 13f

7e	Change Accepted	MsgCookie
----	--------------------	-----------

Figure 14a

7a	MsgCookie
----	-----------

Figure 14b

7a	PolicyID
----	----------

Figure 14c

7e

Figure 14d

7a	Policies	Selected Policy	Policy Cookie
----	----------	--------------------	------------------

Figure 14e